



RIVERS'S
EDGE

30'



© 2021 Lancaster Homes.





ELEVATION B 1,315 SQ. FT.









ELEVATION A 1,315 SQ. FT.



ELEVATION C 1,320 SQ. FT.

ALLENWOOD

30



30'

ALLENWOOD ELEVATION A 1,315 SQ. FT. \ ELEVATION B 1,315 SQ. FT. \ ELEVATION C 1,320 SQ. FT.

All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. 30' homes linked below grade. E.&O.E. 3000





ELEVATION B 1,580 SQ. FT.




ELEVATION A 1,585 SQ. FT.




ELEVATION C 1,585 SQ. FT.

BIRCH


30




MAIN LEVEL STYLE A




SECOND LEVEL STYLE A




PART. MAIN LEVEL STYLE B




PART. MAIN LEVEL STYLE C




PART. SECOND LEVEL STYLE B




PART. SECOND LEVEL STYLE C



LOWER LEVEL STYLE A



PART. LOWER LEVEL STYLE B



PART. LOWER LEVEL STYLE C



BIRCH

ELEVATION A 1,585 SQ. FT. \ ELEVATION B 1,580 SQ. FT. \ ELEVATION C 1,585 SQ. FT.

All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. 30' homes linked below grade. E.&O.E. 3001





ELEVATION B 1,795 SQ. FT.




ELEVATION A 1,795 SQ. FT.




ELEVATION C 1,790 SQ. FT.

BLUEWATER


30




MAIN LEVEL STYLE A




SECOND LEVEL STYLE A




PART. MAIN LEVEL STYLE B & C



PART. SECOND LEVEL STYLE B



PART. SECOND LEVEL STYLE C



LOWER LEVEL STYLE A, B & C



BLUEWATER

ELEVATION A 1,795 SQ. FT. \ ELEVATION B 1,795 SQ. FT. \ ELEVATION C 1,790 SQ. FT.

All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. 30' homes linked below grade. E.&O.E. 3002





ELEVATION B 2,020 SQ. FT.




ELEVATION A 2,010 SQ. FT.




ELEVATION C 2,030 SQ. FT.

CEDAR


30




MAIN LEVEL STYLE A




SECOND LEVEL STYLE A




OPT. MAIN LEVEL STYLE A (B & C SIMILAR)




PART. MAIN LEVEL STYLE B




PART. MAIN LEVEL STYLE C




PART. SECOND LEVEL STYLE B



PART. SECOND LEVEL STYLE C



LOWER LEVEL STYLE A & B



PART. LOWER LEVEL STYLE C



CEDAR

ELEVATION A 2,010 SQ. FT. \ ELEVATION B 2,020 SQ. FT. \ ELEVATION C 2,030 SQ. FT.

All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. 30' homes linked below grade. E.&O.E. 3003





ELEVATION B 2,185 SQ. FT.




ELEVATION A 2,150 SQ. FT.




ELEVATION C 2,160 SQ. FT.

CHESTNUT


30




MAIN LEVEL STYLE A




SECOND LEVEL STYLE A




PART. MAIN LEVEL STYLE B




PART. MAIN LEVEL STYLE C




PART. SECOND LEVEL STYLE B



PART. SECOND LEVEL STYLE C



LOWER LEVEL STYLE A & C



PART. LOWER LEVEL STYLE B



CHESTNUT

ELEVATION A 2,150 SQ. FT. \ ELEVATION B 2,185 SQ. FT. \ ELEVATION C 2,160 SQ. FT.

All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. 30' homes linked below grade. E.&O.E. 3004





ELEVATION B 2,345 SQ. FT.




ELEVATION A 2,335 SQ. FT.




ELEVATION C 2,350 SQ. FT.

ELMVALE


30




MAIN LEVEL STYLE A




SECOND LEVEL STYLE A




PART. MAIN LEVEL STYLE B




PART. MAIN LEVEL STYLE C



PART. SECOND LEVEL STYLE B



PART. SECOND LEVEL STYLE C



LOWER LEVEL STYLE A, B & C



ELMVALE

ELEVATION A 2,335 SQ. FT. \ ELEVATION B 2,345 SQ. FT. \ ELEVATION C 2,350 SQ. FT.

All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. 30' homes linked below grade. E.&O.E. 3005





RIVER'S EDGE